




Stilo



20
26



Stilo



INDEX

Page 4

STILO MILESTONE TIMELINE

Page 8

RALLY

- VENTI WRC Range ————— 10
- VENTI4 WRC Range ————— 11
- VENTI4 TROPHY Range ————— 12
- SPORT Range ————— 13
- ST6R Range ————— 14
- ST5R Range ————— 15
- ACCESSORIES ————— 16
- WRX DIRT Range ————— 17
- WRX RAID Range ————— 18
- VENTI WRX ACCESSORIES ————— 19
- COMMUNICATION ACCESSORIES ————— 20
- COMPARISON CHART ————— 21
- WIRELESS COMMUNICATION ————— 23
- DIGITAL COMMUNICATION ————— 25
- ANALOGIC COMMUNICATION ————— 29
- INTERCOMS COMPATIBILITY ————— 30

Page 32

RACING

- ST6FN ABP Range ————— 34
- ST6FN Range ————— 35
- ST6F Range ————— 36
- ST6 GT Range ————— 37
- ST6 GTN Range ————— 38
- ST5FN / ST5 GTN Range ————— 39
- ST5F / ST5 GT Range ————— 40
- VENTI / VENTI4 WRC TURISMO Range ————— 41
- WRX TURISMO Range ————— 42
- COMPARISON CHART ————— 44
- ST6 ACCESSORIES ————— 47
- ST5 ACCESSORIES ————— 48
- ST6 / ST5 ACCESSORIES ————— 49
- ELECTRONIC KITS ————— 52
- TRACK COMMUNICATION ————— 53
- HEAD & NECK RESTRAINTS ————— 55

Page 58

KARTING

- ST6 CMR ZERO Range ————— 60
- ST6 CMR LITE Range ————— 61
- ST6 KRT Range ————— 62
- ST6 CMR LITE GRAPHIC EDITIONS Range ————— 63
- COMPARISON CHART ————— 64
- RIB & CHEST PROTECTORS ————— 66
- ACCESSORIES ————— 68

Page 70

OFFSHORE

- OFFSHORE Range ————— 72
- INTERCOMS & COMPARISON CHART ————— 74

stilo

2025

20th WRC TITLE thanks to Toyota Gazoo Racing technical partnership

MILESTONES TIMELINE

- In the FIA European Rally Championship, Miko Marczyk and Szymon Gospodarczyk claimed their first continental crown at the Croatia Rally

- In DTM, Ayhancan Güven (TUR) sealed the 2025 championship in spectacular fashion at Hockenheim. Sven Müller (GER) and Patric Niederhauser (CHE) were crowned Endurance Cup Champions with the Porsche 911 GT3 R (992) of Rutronik Racing, also taking third in the Overall standings

- Stilo celebrates its twentieth victory at the Dakar Rally, with Yazeed Al-Rajhi and Timo Gottschalk securing their first overall victory

- Stilo triumphs at Monte-Carlo: Ogier's historic 10th Monte-Carlo victory

- Rally Italia Sardegna crowns a historic weekend for Stilo: WRC, WRC2 and a new all-time record. Alongside co-driver Vincent Landais, Ogier conquered the challenging Sardinian stages at the wheel of his Toyota GR Yaris Rally1, claiming a fifth career win at Rally Italia Sardegna, more than any other driver in history. Moved all shell production (Carbon and Fiberglass) in-house with proprietary PURO TECHNOLOGY process: maximum lightness and performance

2024

- Dakar winner with Carlos Sainz 19th Dakar title
- Felipe Nasr wins Daytona Rolex 24H
- New Headquarter over 5000 mq engineering carbon/composite prod. and the whole manufacturing in the same place
- Launch of the ST6 and VENTI14 range fully homologated FIA8859-2024 and FIA8860-2018
- Launch of the first ABP 8859 rated helmet in the world: ST6 Carbon ABP
- New full digital intercom: DG20
- Stilo becomes the exclusive distributor of Hans and Hybrid for Europe and Middle East
- Launch of the new HANS IV

2022

- Felipe Drugovich is Formula 2 Champion
- Nyck De Vries debuts in the FIA Formula 1 Championship with the Aston Martin F1 and adds up to Valtteri Bottas - Alfa Romeo ORLEN F1 Team and Lance Stroll - Aston Martin F1 Team
- 18th WRC title in a row with Kalle Rovanperä and Jonne Halttunen signing their 1st WRC title
- Official Team Supplier to TGR Motorsport in the WRC, winners of the WRC Dakar winners with Nasser Al-Attiyah and Mathieu Baumel

2019

- Stilo becomes Official Team Supplier to Mercedes-AMG Petronas Motorsport in the FIA Formula 1 Championship
- Stilo is Official Helmet Supplier to Porsche Motorsport
- 1st WRC title for Ott Tanak and Tommi Mäkinen. 15th in a row for Stilo
- Stilo is Hyundai Motorsport Racing Official Supplier
- Nyck De Vries is Formula 2 Champion
- New ST5 CMR with the extra-small shell for the karting range

2023

- 19th WRC title in a row with Kalle Rovanperä and Jonne Halttunen signing their 2nd WRC title
- Launch New WRX, innovative helmet concept, offering the full-face protection and all the advantages of the open-face helmets
- 18th Dakar title with Nasser Al-Attiyah and Mathieu Baumel
- Official Team Supplier to Aston Martin F1
- Gabriel Bortoleto is FIA F3 Champion
- Christian Rasmussen wins INDY NXT title

2021

- Launch of the new Venti WRC open face helmet range
- 17th WRC title in a row with Ogier and Ingrassia signing their 8th title
- Nyck De Vries becomes World Champion winning Formula E
- Stilo presents the Wireless communication technology in rallying
- Stilo and Simpson join The Holley Group, listed in the NY stock exchange

2018

- ST5 Zero VB is the first FIA 8860-2018 certified helmet and Valtteri Bottas is the world first driver to wear a FIA 8860-2018 ABP helmet during the Spa GP
- WRC DES, ST5, ST5 ABP: the whole range updates to the new FIA 8860-2018 standard
- Filipe Albuquerque wins Daytona Rolex 24H



2017

- Stilo claimed its second consecutive Rolex Daytona 24H triumph with the #7 Porsche 963 driven by Felipe Nasr and Laurens Vanthoor.
- In GTD Pro, Christopher Mies and Dennis Olsen took victory in the Ford Mustang GT3, Meanwhile, GTD saw Lars Kern lead the Corvette Z06 GT3.R to victory for AWA, with Ayhancan Güven (Porsche 911 GT3 R) and Mattia Drudi (Aston Martin Vantage GT3 Evo) completing the podium
- Stilo Introduces the new STILO DG20 App, a powerful and intuitive mobile application designed specifically for rally drivers

2014

- Birth of ST5, the benchmark in full-face helmets
- DG30, DG10 the world's first rally intercoms with noise digital active cancellation

2011

- Stilo designs ST4 Zero and WRC DES Zero, world's lightest FIA 8860 certified helmets.
- Verbacom launch: the very first communication system for racing with Bluetooth technology

2008

- Birth of the ST4: Stilo professional helmet for racing

2003

- First company worldwide to create a Bluetooth intercom for motorbikes

2005

- First World Rally Championship victory with Sébastien Loeb

2000


- Origin of the WRC, the world's first open-face helmet

2004

- Debut in the WRC with Gilles Panizzi
- First Dakar Rally victory with Stéphane Peterhansel

1999

- Foundation



MADE IN ITALY

WHY STILO?

The name Stilo comes from the tool used in the Bronze Age to write, to imprint their first thoughts, their first ideas, their first concepts. In time the word "stilo" evolved in "style", that is the way each person uses a stilo: your own style. And our style is that of making products that leave a mark, exactly like a stilo in our ancestors wax boards.

OUR PHILOSOPHY

Top functionality. Everything a driver needs must be standard feature: intercom, connections, earmuffs, drinking system, etc.

The engine at Stilo is fueled by the constant search for innovation through the highest technologies and a passion for motorsport. A helmet is part of the safety equipment to the driver and is meant to be as safe as possible in the first place but it can be something more: an element of performance.

Stilo helmets are designed, developed, prototyped, tested and produced in Italy with a KM 0 philosophy, **100% made in Italy**.

Starting from the driver's needs in the motorsport racing activities, Stilo **Research and Development** Department combines the **know-how** built from experience with the use of **aerodynamics materials** and the most **advanced technologies**, creating new projects and working to never stop evolving. Highly qualified personnel work in Stilo **internal laboratory** and our **carbon shop** to make prototypes, crash tests and pre-series production following strict procedures.



Each Stilo helmet is **fully hand-made** in Bergamo, starting from the shell and all the way down to the labelling of the helmet before shipping. Every step of the production procedures is prepared with the utmost care and strict **quality controls** are in place during the whole process. All of this to offer the safest helmets, with accessories, features and functionalities that make sure our products are a perfect fit for each seat.



NEW 2026

NEW HOMOLOGATION
FIA 8859-2024 SNELL SA2025

VENTI^{II} TROPHY

Page 12



ST5 COMPOSITE ABP

Page 34



DS-20 RAID



Page 27

ST5 CMR & KRT

Pages
60 - 62



RALLY

RANGE

20 TIMES
WRC
CHAMPIONS



INDEX RALLY

- Page 10 VENTI WRC RANGE
- Page 11 VENTI4 WRC RANGE
- Page 12 VENTI4 TROPHY RANGE
- Page 13 SPORT RANGE
- Page 14 ST6R RANGE
- Page 15 ST5R RANGE
- Page 16 ACCESSORIES
- Page 17 WRX DIRT RANGE
- Page 18 WRX RAID RANGE
- Page 19 VENTI WRX ACCESSORIES
- Page 20 COMMUNICATION ACCESSORIES
- Page 21 COMPARISON CHART
- Page 23 WIRELESS COMMUNICATION
- Page 25 DIGITAL COMMUNICATION
- Page 29 ANALOGIC COMMUNICATION
- Page 30 INTERCOMS COMPATIBILITY

PURO technology for all carbon shells


Size mix in 3 shells

Microphone and boom shaped to enhance voice quality

Recessed side port for a cleaner look and plug protection

Compatible with WIRELESS and WIRED intercom connections *

*
INTERCOM
CONNECTION



ZERO 8860



8860





VENTI4 TROPHY

NEW

100% Made in Italy
production process

Updated finishing with a modern
titanium-inspired dark grey color

Wide Size Range : Available from
54 to 64 cm

Fully compatible with Stilo's
DG intercom systems

Optimized weight and
performance. The new helmets
are significantly lighter

Both versions are supplied
with HANS posts as standard



PLUS



— Helmet color

— Interior color



JET



— Helmet color

— Interior color

100% Made in Italy

Appealing design with white shell and white peak

Both versions with Hans Posts Anchors

Excellent mix of price, quality, innovation and electronics

stilo

Shell structure in MSF (multi Sandwich Fibers) with Kevlar reinforcements

Adjustable peak and short visor

Available in 2 versions with and without electronic kit

Compatible with wired WRC and DG Intercom



PLUS



— Helmet color

— Interior color



JET



— Helmet color

— Interior color

ST6R

Top Ventilation holes to reduce sweat and moisture

Integrated speakers with adjustable noise reduction earmuffs

Adjustable microphone

Full range now compatible with WIRELESS intercom

New size mix in 3 shells to fit the driver's head in the smaller and lighter shell possible

Short sunscreen visor available as an option

NEW CHEEK comfort padding designed for better fitting. Improved cheek stability

Increased downwards field of view (also compared to ST5)



ZERO 8860



8860



CARBON



COMPOSITE



— Helmet color

— Interior color



Top ventilation holes to reduce sweat and moisture allowing the use of Stilo Top Air Systems

Integrated speakers with adjustable noise reduction earmuffs

Carbon range compatible with WIRELESS intercoms

The widest size range: from XS54 to 3XL 64

Short visors and peak available as optional *

Wider view field for a better vision

Adjustable microphone



CARBON



COMPOSITE



SHORT VISORS VENTI4 & VENTI / VENTI TROPHY / SPORT



YA0229 Yellow
YA0230 Smoked Dark
YA0240 Silver Dark

YA0241 Mirror Blue Dark
YA0266 Clear
YA0709 Mirror Red Light

PEAKS VENTI4 & VENTI / VENTI TROPHY



YA0268 Silver
YA0273 White
YA0278 Matt Black

YA0116 Black
YA0311 Titanium
YA0312 Orange

CARBON PEAKS VENTI4 & VENTI / ST5R



YA0269 Venti Carbon
YA0270 Venti Zero and 8860

YA0862 ST5R Carbon
YA0863 ST5R Zero and 8860

PEAKS FITTING KIT


VENTI4 & VENTI / VENTI TROPHY / SPORT



YA0114 VENTI4 & VENTI / VENTI TROPHY / SPORT
YA0865 ST5R
YA0865B/R/G ST5R Blue/Red/Gold


PEAKS + VISORS FITTING KIT

VENTI4 & VENTI / VENTI TROPHY / SPORT



YA0242 VENTI4 & VENTI / VENTI TROPHY / SPORT
YA0864 ST5R

SHORT VISORS OR SUNSCREEN FITTING KIT



ST6R
YA0926 Silver
YA0926G Gold
YA0926B Blue
YA0926R Red

ST5R
YA0817 Silver
YA0817G Gold
YA0817B Blue
YA0817R Red

SHORT VISORS ST6R / ST5R



ST6
YA0919 Mirror Blue Dark
YA0920 Mirror Red Dark
YA0921 Mirror Yellow Dark

ST5
YA0836 Mirror Blue Dark
YA0837.2 Mirror Red Dark
YA0838.2 Mirror Yellow Dark

SUNSCREEN ST6R / ST5R



YA0924 Sunscreen ST6R
YA0816 Sunscreen ST5R

PEAK SPORT



YA0155 White

SPARE INTERCOM KIT SPORT



AE0112

SPARE INTERCOM KITS



AE0228 Venti WRC Zero / 8860
AE0226 Venti WRC Carbon / Composite ST5R Zero / 8860 / Carbon ST6R all range



AE0121 Venti Trophy Plus / Jet



AE0210 ST5R Composite



AE0111 Venti Trophy Rally
Venti Trophy Jet

Specific versions for open vehicles

Perfect fitted for extreme conditions

Full face protection certified and maximum view field

Communication kit with ear cups and integrated speakers

Sealed full visor



VENTI WRX



+34% VISOR OPENING COMPARED TO ST5 RANGE



DIRT ZERO 8860



DIRT CARBON



WRX RAID



Specific versions for closed vehicles

Top ventilation holes to reduce sweat moisture and allow the use of the short Top Air System

Adjustable peak and short visor available

The whole range in PURO technology

Side Air and Drinking System available



RAID ZERO 8860



RAID CARBON



FULL VISORS



YA0279 - YA0279DG Clear

YA0284 - YA0284DG Mirror Blue Medium

YA0285 - YA0285DG Mirror Red Medium

YA0310 Package with 5 single tear-off film

YA0313-CP Package [10 tear-off films stuck together],
3 pieces kit. With perimeter seal.

YA0286 - YA0286DG Mirror Yellow Dark

YA0287 - YA0287DG Silver Dark

YA0288 - YA0288DG Smoked Dark

FULL VISORS FITTING KIT



YA0817 Silver
YA0817G Gold

YA0817B Blue
YA0817R Red

CARBON PEAKS



YA0281
Zero 8860

YA0280
Carbon

YA0283
Zero 8860
Extended Peak



YA0282
Carbon Extended
Peak

SHORT VISORS



YA0295 Mirror Blue Medium

YA0291 Mirror Red Medium

YA0292 Mirror Yellow Dark

YA0293 Mirror Dark

YA0294 Smoked Dark

DRINKING SYSTEM



YA0600

HELMET SKIRT



YA0289

SHORT MODULAR TOP AIR KITS



YA0892MAG

Modular short top air for
Venti WRC / WRX / ST5 / ST6
with integrated Maglock®
adapter



YA0892A

Modular short top air
with main adapter.
To be used with
YA0895A or YA0896A



YA0896A

Modular straight fitting
with Ø 32mm connection.
Compatible with
Maglock® connector



YA0895A

Modular 90° angled fitting
with Ø 32mm connection.
Compatible with
Maglock® connector

SHORT TOP AIR KITS



YA0889

Top Air System
with oval connector



YA0897

Top Air System
with smaller round
connector

COMMUNICATION ACCESSORIES

OPEN-FACE KIT WITH EARMUFFS



AE0104

WRC intercom kit for open-face helmets with earmuffs

FULL-FACE KIT WITH EARMUFFS



AE0105

WRC intercom kit for full-face helmets with earmuffs

ADAPTERS



AC0204.2

Stilo WRC helmet to Peltor intercom (or similar)



AC0200

Stilo WRC intercom to Peltor helmet (or similar)

POWER SUPPLY



YB0100

12 volt power supply

EXTRA FILTER



YY0030

Isolating filter for DG-10 intercom (1 in / 2 out RCA)

OPEN-FACE KITS



AE0103

WRC intercom kit for open-face helmets

FULL-FACE KITS



AE0102

WRC intercom kit for full-face helmets

WIRING CONNECTIONS



Intercom to helmet extension cable

YB0317.2 0,45 mt coil incl.

YB0319.2 0,21 mt no coil

YB0307.2 2,5 mt coil incl.



Stilo helmet to phone 3,5 mm jack

YB0311



Intercom to 3,5 mm jack camera connection

YB0312

AE0101

TROPHY intercom kit for open-face helmets

AE0100

TROPHY intercom kit for full-face helmets

HEADSETS



AD0210

Excellent noise protection, maximum comfort, "flex" boom, no joints. WRC intercom connection



AD0110

Excellent noise protection, maximum comfort, "flex" boom, no joints. TROPHY intercom connection

EMERGENCY KIT



YA0001

Spare electronics kit: it is like carrying a spare helmet in the co-driver bag



YA0212

Spare hygienic kit for AD0210 and AD0110 headsets

COMPARISON CHART

RALLY

VENTI WRC



VERSION

ZERO 8860

AA0220BG3R Hans

HOMOLOGATION
FIA 8860-2018

MATERIAL
HIGH TENSILE CARBON

WEIGHT
small 1.190 g*
medium 1.220 g*

SIZE
small XS 54, S 55, M 57, L 58
medium L 59, XL 61

INTERCOM
AEO228 - Pro WL and Wired

COLORS

8860

AA0220BG1R Hans

HOMOLOGATION
FIA 8860-2018

MATERIAL
MEDIUM TENSILE CARBON

WEIGHT
small 1.330 g*
medium 1.380 g*
large 1.510 g*

SIZE
small XS 54, S 55, M 57, L 58
medium L 59, XL 61
large 2XL 63, 3XL 64

INTERCOM
AEO228 - Pro WL and Wired

COLORS

VENTI4 WRC



VERSION

CARBON

AA0224BG1X Hans

HOMOLOGATION
FIA 8859-2024
SNELL SA2025

MATERIAL
NORMAL TENSILE CARBON

WEIGHT
small 1.120 g*
medium 1.260 g*
large 1.360 g*

SIZE
small XS 54, S 55, M 57, L 58
medium L 59, XL 61
large 2XL 63, 3XL 64

INTERCOM
AEO226 WL and Wired

COLORS

COMPOSITE

AA0224BG2X Hans

HOMOLOGATION
FIA 8859-2024
SNELL SA2025

MATERIAL
MSP MULTI SANDWICH
PRE-PREG FIBER

WEIGHT
small 1.370 g*
medium 1.500 g*
large 1.580 g*

SIZE
small XS 54, S 55, M 57, L 58
medium L 59, XL 61
large 2XL 63, 3XL 64

INTERCOM
AE0226 WL and Wired

COLORS

*Communication kit included, M6 ready. ± 30 g

*M6 ready. ± 30 g

VENTI4 TROPHY



VERSION

PLUS

AA0114EG2X Hans

HOMOLOGATION
FIA 8859-2024
SNELL SA2025

MATERIAL
MSP MULTI SANDWICH
PRE-PREG FIBER

WEIGHT
small 1.320 g*
medium 1.450 g*
large 1.560 g*

SIZE
small XS 54, S 55, M 57, L 58
medium L 59, XL 61
large 2XL 63, 3XL 64

INTERCOM
AE0121 WL and Wired

COLORS

JET

AA0114AF2X

AA0114AG2X Hans

HOMOLOGATION
FIA 8859-2024
SNELL SA2025

MATERIAL
MSP MULTI SANDWICH
PRE-PREG FIBER

WEIGHT
small 1.200 g**
medium 1.320 g**
large 1.430 g**

SIZE
small XS 54, S 55, M 57, L 58
medium L 59, XL 61
large 2XL 63, 3XL 64

INTERCOM

COLORS

SPORT



VERSION

PLUS

AA0132HG2T Hans

HOMOLOGATION
FIA 8859-2015
SNELL SA2020

MATERIAL
FIBERGLASS KEVLAR MSP
MULTI SANDWICH FIBER

WEIGHT
small 1.430 g*
large 1.570 g*

SIZE
small XS 54, S 55, M 57
large L 59, XL 61

INTERCOM

COLORS

JET

AA0132AG2T Hans

HOMOLOGATION
FIA 8859-2015
SNELL SA2020

MATERIAL
FIBERGLASS KEVLAR MSP
MULTI SANDWICH FIBER

WEIGHT
small 1.350 g
large 1.490 g

SIZE
small XS 54, S 55, M 57
large L 59, XL 61

INTERCOM

COLORS

*Communication kit included, M6 ready. ± 30 g

**M6 ready. ± 30 g

*Communication kit included, M6 ready. ± 30 g

COMPARISON CHART

WRX



VERSION

RAID ZERO 8860

AA0232BG3R Hans

HOMOLOGATION
FIA 8860-2018

MATERIAL
HIGH TENSILE CARBON

WEIGHT
small 1.300 g*
medium 1.430 g*
large 1.510 g*

SIZE
small XS 54, S 55, M 57, L 58
medium L 59, XL 61
large 2XL 63, 3XL 64

INTERCOM
AE0228 PRO WL and WIRED

COLORS 1

DIRT ZERO 8860

AA0230BG3R Hans

HOMOLOGATION
FIA 8860-2018

MATERIAL
HIGH TENSILE CARBON

WEIGHT
small 1.400 g*
medium 1.530 g*
large 1.610 g*

SIZE
small XS 54, S 55, M 57, L 58
medium L 59, XL 61
large 2XL 63, 3XL 64

INTERCOM
AE0228 PRO WL and WIRED

COLORS 1

RAID CARBON

AA0232BG1X Hans

HOMOLOGATION
FIA 8859-2024
SNELL SA2025

MATERIAL
NORMAL TENSILE CARBON

WEIGHT
small 1.250 g*
medium 1.370 g*
large 1.460 g*

SIZE
small XS 54, S 55, M 57, L 58
medium L 59, XL 61
large 2XL 63, 3XL 64

INTERCOM
AE0226 WL and Wired

COLORS 1

DIRT CARBON

AA0230BG1X Hans

HOMOLOGATION
FIA 8859-2024
SNELL SA2025

MATERIAL
NORMAL TENSILE CARBON

WEIGHT
small 1.340 g*
medium 1.480 g*
large 1.570 g*

SIZE
small XS 54, S 55, M 57, L 58
medium L 59, XL 61
large 2XL 63, 3XL 64

INTERCOM
AE0226 WL and Wired

COLORS 1

*Communication kit included, M6 ready. ± 30 g

ST6R



VERSION

ZERO 8860

AA0801RG3R Hans

HOMOLOGATION
FIA 8860-2018

MATERIAL
HIGH TENSILE CARBON

WEIGHT
xsmall 1.240 g*
small 1.310 g*
medium 1.420 g*
large 1.500 g*

SIZE
xsmall XS 54, S 55, S 56
small M 57, L 58
medium L 59, XL 61
large 2XL 63, 3XL 64

INTERCOM
AE0226 WL and Wired

COLORS 1

8860

AA0801RG1R Hans

HOMOLOGATION
FIA 8860-2018

MATERIAL
MEDIUM TENSILE CARBON

WEIGHT
small 1.410 g*
medium 1.530 g*
large 1.570 g*

SIZE
small XS 54, S 55,
M 57, L 58
medium L 59, XL 61
large 2XL 63, 3XL 64

INTERCOM
AE0226 WL and Wired

COLORS 1

CARBON

AA0801RG1X Hans

HOMOLOGATION
FIA 8859-2024
SNELL SA2025

MATERIAL
NORMAL TENSILE CARBON

WEIGHT
small 1.230 g*
medium 1.380 g*
large 1.470 g*

SIZE
small XS 54, S 55,
M 57, L 58
medium L 59, XL 61
large 2XL 63, 3XL 64

INTERCOM
AE0226 WL and Wired

COLORS 1

COMPOSITE

AA0801RG2X Hans

HOMOLOGATION
FIA 8859-2024
SNELL SA2025

MATERIAL
MSP MULTI SANDWICH
PRE-PREG FIBER

WEIGHT
small 1.420 g*
medium 1.540 g*
large 1.650 g*

SIZE
small XS 54, S 55,
M 57, L 58
medium L 59, XL 61
large 2XL 63, 3XL 64

INTERCOM
AE0226 WL and Wired

COLORS 11

ST5R



VERSION

CARBON

AA0701RG1Ts2-00CC Hans

HOMOLOGATION
FIA 8859-2015
SNELL SA2020

MATERIAL
NORMAL TENSILE CARBON

WEIGHT
small 1.360 g*
large 1.510 g*

SIZE
small XS 54, S 55
M 57, L 59
large L 60, XL 61, 2XL 63,
3XL 64

INTERCOM
AE0226 WL and Wired

COLORS 1

COMPOSITE

AA0701BG2T Hans

HOMOLOGATION
FIA 8859-2015
SNELL SA2020

MATERIAL
FIBERGLASS KEVLAR MSF
MULTI SANDWICH FIBER

WEIGHT
small 1.590 g*
large 1.700 g*

SIZE
small XS 54, S 55
M 57, L 59
large L 60, XL 61, 2XL 63,
3XL 64

INTERCOM
AE0210 Wired

COLORS 11111

*M6 ready. ± 30 g

*Communication kit included, M6 ready. ± 30 g

WL-10 Wireless Intercom is the next step in rally intercom technology as connection, as the name describes, is now completely wireless with the crew's helmets. Based on the world's active digital noise-cancelling Stilo DG-10 intercom, the WL-10 Wireless has had a few more improvements making this the ultimate in motorsport communications and the world's first wireless intercom for rallying. Design and functionalities have been fine-tuned, making this the best noise-cancelling intercom on the market. An additional extra is a wireless headset for use on-road sections.



Shaped to be perfectly integrated with the geometry of the helmet



Power and volume controls




To be plugged directly to the side port of the helmet

WL-KEY AG0001
WIRELESS

The Wireless helmet keys and headsets have their own battery which when fully charged has enough power to allow up to 5 hours of continuous talk time. Charging of these items is through a USB plug. These keys have been designed to plug directly into the Venti WRC, Venti Trophy Plus and ST5R WL helmets.

HOW IT WORKS


The helmet key is plugged into the helmet side port and paired with the intercom, allowing the connection to work up to a 10 metres distance, this allowing the crew to exit the car with their helmets on and still talk to each other. Powered from the car's 12 volt supply the biggest change in this intercom is the Wireless functionality allowing you to drop the connection cables with the crew's helmet.



- Keyboard with all the features of our DG-10 intercom
- No cables to the helmets

WIRELESS COMMUNICATION

WL-10 AB0520
WIRELESS



AG0001

The bundle includes
1 WL-10 intercom (AB0520)
and 2 wireless helmet keys
WL-KEY (AG0001)
paired and ready to use



AD0225

Wireless headsets
for use on-road sections



The WL-10 features 1 output for the crew's communications to a camera system and 1 input for a radio interface.

CG0020 Radio interface for WL-10 - Universal

CG0021 Radio interface for WL-10
Prepared for connections with radio cables (YD0202 to YD0211)
PTT cable YC0011 included

Stilo DG-30 EVO: the ultimate digital intercom for professionals

The DG-30 EVO, an evolution of the DG-30 (the world first digital intercom and winner of several world titles in the WRC championship) marks a significant improvement in the performances. The Active Digital Noise Cancelling EVO filters, with independent settings for driver and co-driver, allow an impeccable communication even in the most extreme conditions. Designed for professionals, the DG-30 EVO offers top level performances and advanced features, keeping the highest control and customization for a perfect communication. With the possibility of choosing between different noise cancelling modes and customized audio settings, the DG-30 EVO guarantees the highest quality in the communication.

Equipped with an ergonomic remote control panel and with an analogical backup system, the DG-30 EVO offers professional level performances, always ready for any challenge.

DG-30 EVO

MAIN UNIT



REMOTE CONTROL PANEL



AB0606
DG - 30 EVO

Bluetooth Remote control panel and main unit.

AB0711
DG - 30 EVO PRO

All commercial-grade connectors, with Deutsch (military-grade). Available upon request.

- Active Digital Noise Cancelling EVO with real time elaboration
- Dual digital filter with independent settings for Driver and Co-Driver
- Integrated Bluetooth for mobile phone connection (audio link)
- Remote Control Panel: Easy-to-use ergonomic control panel designed for efficient system settings
- Control via CAN-BUS directly from the dashboard (with no need for the control panel)
- Two separate intercom circuits built inside the main unit, one main digital system and a spare analogue circuit that can instantly be activated with a simple switch.
- Adjustable voice pitch (EQ button) and separate noise cancelling modes (DIG button), to improve communication in cars with all noise levels
- Camera and radio connection



YB0600.2
Helmets connection cable (not included)



YB0317.2
45 cm [coil included]
Extension cable recommended for AB0200, AB0500, AB0214, AB0600

Stilo DG-20: the evolution of excellence in the noise cancellation

Based on the experience of DG-10, the most appreciated Stilo intercom in the market, the new DG-20 intercom represents a firm step forward in the performances. Thanks to a more powerful processor, the DG-20 intercom elaborates signals in real time, allowing the use of advanced algorithms for an even more performing digital noise cancelling. Thanks to the digital double filter elaboration with independent settings for driver and co-driver, the DG-20 intercom guarantees a crystal-clear, customized communication. An innovative mobile app allows an advanced, user-friendly setting, while the USB-C port integrates data connection and firmware upgrade, thus guaranteeing a performing, always updated intercom.

DG-20



- Digital active noise cancellation EVO with real time processing
- Dual digital filter with independent settings for Driver and Co-Driver
- Integrated Bluetooth for mobile phone connection (audio link)
- Stilo Mobile App available for intercom user-friendly configuration
- USB-C port for data connection and firmware upgrading
- New easy-to-use ergonomic control panel with a user-friendly interface
- Camera and radio connection



AB0800
DG-20 Intercom
[male helmet connector]



EXTENSION FOR AB0800
YB0317.2 0,45 mt coil incl.
YB0319.2 0,21 mt no coil
YB0307.2 2,5 mt coil incl.



AB0810
DG-20 Intercom
[female helmet connector]



ADAPTER REQUIRED FOR AB0810
AC0204.2
AC0220.2 0,75 mt coil incl.



CG0013 Radio interface for DG-10 intercom
CG0014 Kenwood radio interface for DG-10 intercom
YC0001 PTT included
CG0017 Motorola radio interface for DG-10 intercom
YC0001 PTT included
YY0030 Isolating Filter for DG-10 intercom
(1 IN / 2 OUT RCA)

DG-20 RAID

Designed and developed to resist and maintain high performance in the extreme environments and intensive usage typical of X-Country, Raid and Dirt racing



AB0821
DG-20 RAID

- Digital active noise cancellation with sda filter
- Improved filters for an optimized noise cancellation
- Camera and radio connections
- Female helmet connection cables integrated
- Voice returns for both driver and co-driver can be adjusted

- The DG-20 Raid does not include Bluetooth, ensuring full compliance with off-road racing regulation
- The interface with the DG-20 app is through the USB-C port (available for Android only)
- The firmware upgrade is performed through the app via USB-C on Android platforms only
- Intercom compatible with all microphones supplied by Stilo (Magnetic Dynamic and Electret)

- **The use of ACO204.2 is required**



STILO DG20 App is a powerful and intuitive mobile application designed specifically for rally drivers, available for download on Google Play and Apple Store. Developed by rally experts for rally experts, **STILO DG20 App** is the first app of its kind that allows users to fully manage, adjust, and fine-tune the intercom electronic settings directly from the smartphones.



- The App provides a step-by-step guide to all control unit functionalities, available directly on the user's smartphone. In addition to in-depth tutorials and instructions, each function is clearly explained with helpful tooltips, making configuration more intuitive.
- A key feature is the quick-access GENERAL CONFIGS section, which allows for faster and easier adjustment of important settings such as radio-in crucial for achieving optimal audio recordings. Users can also fine-tune the STILO DG20 lighting intensity, ensuring ideal visibility of the controls in a variety of lighting conditions and adapting to different stages and terrains.
- Users can now create and save custom and multiple configurations, allowing them to optimize performance based on their specific vehicle and crew setup. A major innovation is the introduction of "Voice vs Noise", Stilo's new advanced noise cancellation technology, delivering clearer audio and more precise voice detection even in challenging environments. Personal configurations can be saved to the smartphone and later reused on control units installed in other vehicles.
- Furthermore, the App now includes a built-in contact module, enabling direct communication with Stilo's support team. This feature opens the door for valuable user feedback and ongoing improvements based on real-user experience with the STILO DG20 system. The App is available on the Google Play and Apple Store.



GET IT ON
Google Play



GET IT ON
App Store

WRC DES 9V

The best of Stilo's analogic noise cancellation available thanks to the "Extra Filter". Fed from the car power supply and 9V battery. Bluetooth connection with mobile telephones not available.

- The best analogic Stilo audio quality and the maximum ease of use at a price with no equal
- Camera or Radio connection
- Powered by a 9 volt battery or fed from the car power supply



Extra filter even more effective. Moving the switch to "Extra Filter" the background noises are strongly damped and the co-driver voice's louder to the driver. Since the driver's voice sounds lower to the co-driver, it is recommended that the Extra Filter is set to off during transfers.



AB0214



Camera OUT (low or high level)
or radio IN switch

WRC 03

- Specifically designed for roll-bars fitment
- ON/OFF control with the co-driver plug-in
- Separated volumes, 9 V standard power supply and 12 V available option
- Camera connection




AB0102



AB0200

TROPHY 2

- Individual volume controls
- 9 Volt battery o 12 Volt optional adapter
- Camera connection
- ON/OFF led
- High quality metal jacks
- Special design for roll-bar fitting








cognizant
FORMULA ONE TEAM
aramco


Stilo

OFFICIAL SUPPLIER

INDEX RACING

- Page 34 ST6FN ABP **RANGE**
- Page 35 ST6FN **RANGE**
- Page 36 ST6F **RANGE**
- Page 37 ST6 GT **RANGE**
- Page 38 ST6 GTN **RANGE**
- Page 39 ST5 FN / ST5 GTN **RANGE**
- Page 40 ST5 F / ST5 GT **RANGE**
- Page 41 VENTI / VENTI4 WRC TURISMO **RANGE**
- Page 42 WRX TURISMO **RANGE**
- Page 44 COMPARISON CHART
- Page 47 ST6 ACCESSORIES
- Page 48 ST5 ACCESSORIES
- Page 49 ST5 / ST6 ACCESSORIES
- Page 52 ELECTRONIC KITS
- Page 53 TRACK COMMUNICATION
- Page 55 HEAD & NECK RESTRAINTS

Stilo

ST6FN ABP

ABP: Advanced ballistic protection.
Extended area of protection
in the forehead area

New visor hardware for easy
installation and smoother
movement

Injection molded visor with
HIGH PERFORMANCE
WASHABLE ANTIFOG TREATMENT

Redesigned **AIR FLOW** ventilation
based on F1 experience

Size mix in 3 shells (plus XS on zero range)
to fit the driver's head in the smallest
and lightest shell possible

Pioneering Visor Locking device system
complying with latest FIA standards
(8860-2018 and 8859-2024) both
in full closed and ventilation position

Special comfort padding design
to improve performances
in open cars

Ready for installation of different
communication kits



FIA 8860-2018 ABP



ZERO ABP



8860 ABP



CARBON ABP



COMPOSITE ABP



FIA8859-2024
SNELL SA2025

Cheek comfort padding designed for better fitting. Improved cheek stability

Injection molded visor with **HIGH PERFORMANCE WASHABLE ANTIFOG TREATMENT**

Pioneering Visor Locking device system complying with latest FIA standards (new 8860-2018 and 8859-2024) both in full closed and ventilation position.

Redesigned AIR FLOW ventilation based on F1 experience

Top Ventilation holes to reduce sweat and moisture

New visor hardware for easy installation and smoother movement

Increased downwards field of view

Easy to use padding channels for better installation of the electronics, air and water systems

* ST6F for US only



ZERO 8860



8860



CARBON



COMPOSITE



ST6F*

Top Ventilation holes to reduce sweat and moisture

Increased downwards field of view

Cheek comfort padding designed for better fitting. Improved cheek stability

Pioneering Visor Locking device system complying with latest FIA standards (new 8860-2018 and 8859-2024) both in full closed and ventilation position

Size mix in 3 shells (plus XS on zero range) to fit the driver's head in the smallest and lightest shell possible

The lightest composite helmet. New COMPOSITE production process based on Zero technology

Integrated microphone, earplugs connection and radio connection**

Prepared for frontal and side drinking systems

* ST6GT for US only

** Not for US market



FIA 8860-2018



ZERO 8860



8860



FIA8859-2024
SNELL SA2025



CARBON



COMPOSITE



— Helmet color

— Interior color

Top Ventilation holes to reduce sweat and moisture

Ideal for closed wheel racing

Adjustable Ear Padding for best comfort

Integrated microphone, earplugs connection and radio connection*

* Not for US market

Size mix in 3 shells (plus XS on zero range) to fit the driver's head in the smallest and lightest shell possible

Cheek comfort padding designed for better fitting. Improved cheek stability

Increased downwards field of view (also compared to ST5)

Prepared for frontal and side drinking



ZERO 8860



8860



CARBON



COMPOSITE



— Helmet color
— Interior color

ST6 GTN

Top Ventilation holes to reduce sweat and moisture

Size mix in 3 shells (plus XS on zero range) to fit the driver's head in the smallest and lightest shell possible.

Cheek comfort padding designed for better fitting. Improved cheek stability

Increased downwards field of view

Ideal for closed wheel racing

Adjustable Ear Padding for best comfort

Prepared for frontal and side drinking

Easy to use padding channels for better installation of the electronics, air and water systems



ZERO 8860



8860



CARBON



COMPOSITE



— Helmet color

— Interior color

ST5FN*

* ST5F for US only

Designed for advanced aerodynamics and adjustable air flow to improve breathability

Adjustable ear paddings for the best comfort

Ready for installation of different radio communication kits

Prepared for frontal drinking system



COMPOSITE



ST5 GTN

Designed for advanced aerodynamics and adjustable air flow to improve breathability

Ideal for closed wheel racing

Adjustable short sunscreen. Short visors available as optional

Adjustable ear paddings for the best comfort



COMPOSITE



ST5F*

* ST5GT for US only

Designed for advanced aerodynamics and adjustable air flow to improve breathability

Adjustable ear paddings for the best comfort

Multi function two-step visor locking clasp

Prepared for side integrated or frontal drinking system

Integrated microphone, earplugs connection and radio connection* *

** Not for US market



CARBON



COMPOSITE



ST5 GT

Designed for advanced aerodynamics and adjustable air flow to improve breathability

Ideal for closed wheel racing

Adjustable short sunscreen. Short visors available as optional

No hanging cables. Earplugs and radio connection cable available as optional.

Integrated microphone, earplugs connection and radio connection* *

** Not for US market



CARBON



COMPOSITE



FIA 8859-2015
SNELL SA2020



The lightest composite helmet. COMPOSITE production process based on Zero technology

Ear cups for noise reduction

Integrated plug for intercom or radio connections

Further improved comfort with brand new interior paddings

Female connection for use with earplugs. Adjustable microphone

VENTI WRC



ZERO 8860 TURISMO



8860 TURISMO



VENTI4 WRC



CARBON TURISMO



COMPOSITE TURISMO



WRX DIRT TURISMO

Full face protection certified and maximum view field

Ear cups for noise reduction

Sealed full visor

Side Air and Drinking System available

Female connection for use with earplugs



VENTI WRX



+34% VISOR OPENING COMPARED TO ST5 RANGE



ST5



DIRT ZERO 8860 TURISMO



DIRT CARBON TURISMO





Top ventilation holes to reduce sweat moisture and allow the use of the short Top Air System

Adjustable peak and short visor available

The whole range in PURO technology

Integrated plug for intercom or radio connections

Adjustable microphone



RAID ZERO 8860
TURISMO



RAID CARBON
TURISMO



COMPARISON CHART

ST6FN ABP



VERSION

ZERO ABP	8860 ABP	CARBON ABP	COMPOSITE ABP
AA0810AG3S Hans	AA0810AG1S Hans	AA0810AG1Y Hans	AA0810AG2Y Hans
HOMOLOGATION FIA 8860 - 2018 ABP	HOMOLOGATION FIA 8860 - 2018 ABP	HOMOLOGATION FIA 8859-2024 SNELL SA2025	HOMOLOGATION FIA 8859-2024 SNELL SA2025
MATERIAL HIGH TENSILE CARBON	MATERIAL MEDIUM TENSILE CARBON	MATERIAL NORMAL TENSILE CARBON	MATERIAL MSP MULTI SANDWICH PRE-PREG FIBER
WEIGHT	WEIGHT	WEIGHT small 1.250 g* medium 1.420 g* large 1.500 g*	WEIGHT small 1.460 g* medium 1.610 g* large 1.720 g*
SIZE xsmall XS 54, S 55, S 56 small M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64
INTERCOM Optional on demand	INTERCOM Optional on demand	INTERCOM Optional on demand	INTERCOM Optional on demand
COLORS 1	COLORS 1	COLORS 1	COLORS 1

*M6 ready. ± 30 g

ST6FN



VERSION

ZERO 8860	8860	CARBON	COMPOSITE
AA0810AG3R Hans	AA0810AG1R Hans	AA0810AG1Y Hans	AA0810AG2X Hans
HOMOLOGATION FIA 8860 - 2018	HOMOLOGATION FIA 8860 - 2018	HOMOLOGATION FIA 8859-2024 SNELL SA2025	HOMOLOGATION FIA 8859-2024 SNELL SA2025
MATERIAL HIGH TENSILE CARBON	MATERIAL MEDIUM TENSILE CARBON	MATERIAL NORMAL TENSILE CARBON	MATERIAL NORMAL TENSILE CARBON
WEIGHT	WEIGHT	WEIGHT xsmall 1.190 g* small 1.260 g* medium 1.370 g* large 1.520 g*	WEIGHT small 1.180 g* medium 1.330 g* large 1.420 g*
SIZE xsmall XS 54, S 55, S 56 small M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64
INTERCOM Optional on demand	INTERCOM Optional on demand	INTERCOM Optional on demand	INTERCOM Optional on demand
COLORS 1	COLORS 1	COLORS 1	COLORS 11

*M6 ready. ± 30 g

ST6F



VERSION

ZERO 8860	8860	CARBON	COMPOSITE
AA0800CG3R Hans	AA0800CG1R Hans	AA0800CG1X Hans	AA0800CG2X Hans
HOMOLOGATION FIA 8860 - 2018	HOMOLOGATION FIA 8860 - 2018	HOMOLOGATION FIA 8859-2024 SNELL SA2025	HOMOLOGATION FIA 8859-2024 SNELL SA2025
MATERIAL HIGH TENSILE CARBON	MATERIAL MEDIUM TENSILE CARBON	MATERIAL NORMAL TENSILE CARBON	MATERIAL MSP MULTI SANDWICH PRE-PREG FIBER
WEIGHT	WEIGHT	WEIGHT small 1.230 g* medium 1.380 g* large 1.470 g*	WEIGHT small 1.420 g* medium 1.540 g* large 1.650 g*
SIZE xsmall XS 54, S 55, S 56 small M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64
INTERCOM AE0227**	INTERCOM AE0227**	INTERCOM AE0227**	INTERCOM AE0227**
COLORS 1	COLORS 1	COLORS 1	COLORS 11

*M6 ready. ± 30 g **Not for US market

ST6 GT



VERSION

ZERO 8860	8860	CARBON	COMPOSITE
AA0802CG3R Hans	AA0802CG1R Hans	AA0802CG1X Hans	AA0802CG2X Hans
HOMOLOGATION FIA 8860 - 2018	HOMOLOGATION FIA 8860 - 2018	HOMOLOGATION FIA 8859-2024 SNELL SA2025	HOMOLOGATION FIA 8859-2024 SNELL SA2025
MATERIAL HIGH TENSILE CARBON	MATERIAL MEDIUM TENSILE CARBON	MATERIAL NORMAL TENSILE CARBON	MATERIAL MSP MULTI SANDWICH PRE-PREG FIBER
WEIGHT	WEIGHT	WEIGHT xsmall 1.170 g* small 1.240 g* medium 1.350 g* large 1.430 g*	WEIGHT small 1.340 g* medium 1.460 g* large 1.500 g*
SIZE xsmall XS 54, S 55, S 56 small M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64
INTERCOM AE0227**	INTERCOM AE0227**	INTERCOM AE0227**	INTERCOM AE0227**
COLORS 1	COLORS 1	COLORS 1	COLORS 11

*M6 ready. ± 30 g **Not for US market

ST6 GTN



VERSION

ZERO 8860

AA0812AG3R Hans

8860

AA0812AG1R Hans

CARBON

AA0812AG1X Hans

COMPOSITE

AA0812AG2X Hans

HOMOLOGATION

FIA 8860 - 2018

HOMOLOGATION

FIA 8860 - 2018

HOMOLOGATION

FIA 8859-2024
SNELL SA2025

HOMOLOGATION

FIA 8859-2024
SNELL SA2025

MATERIAL

HIGH TENSILE CARBON

MATERIAL

MEDIUM TENSILE CARBON

MATERIAL

NORMAL TENSILE CARBON

MATERIAL

MSP MULTI SANDWICH
PRE-PREG FIBER

WEIGHT

xsmall 1.120 g*
small 1.190 g*
medium 1.300 g*
large 1.380 g*

WEIGHT

small 1.290 g*
medium 1.410 g*
large 1.450 g*

WEIGHT

small 1.110 g*
medium 1.260 g*
large 1.350 g*

WEIGHT

small 1.300 g*
medium 1.420 g*
large 1.530 g*

SIZE

xsmall XS 54, S 55, S 55
small M 57, L 58
medium L 59, XL 61
large 2XL 63, 3XL 64

SIZE

small XS 54, S 55,
M 57, L 58
medium L 59, XL 61
large 2XL 63, 3XL 64

SIZE

small XS 54, S 55,
M 57, L 58
medium L 59, XL 61
large 2XL 63, 3XL 64

SIZE

small XS 54, S 55,
M 57, L 58
medium L 59, XL 61
large 2XL 63, 3XL 64

INTERCOM

Optional on demand

COLORS



COLORS



COLORS



COLORS



ST5FN



ST5 GTN



VERSION

COMPOSITE

AA0710AG2T Hans

VERSION

COMPOSITE

AA0712AG2T Hans

HOMOLOGATION

FIA 8859-2015
SNELL SA2020

MATERIAL

FIBERGLASS KEVLAR MSF
MULTI SANDWICH FIBER

WEIGHT

small 1.540 g*
large 1.650 g*

SIZE

small XS 54, S 55, S 55
medium M 57, L 58
large L 60, XL 61, 2XL 63, 3XL 64

SIZE

small XS 54, S 55, M 57, L 58
medium L 59, XL 61, 2XL 63, 3XL 64

SIZE

small XS 54, S 55, M 57, L 58
medium L 59, XL 61, 2XL 63, 3XL 64

SIZE

small XS 54, S 55, M 57, L 58
medium L 59, XL 61, 2XL 63, 3XL 64

INTERCOM

Optional on demand

COLORS



COLORS



ST5F



VERSION

CARBON

AA0700CG1Tsz-00CC Hans

COMPOSITE

AA0700CG2T Hans

HOMOLOGATION

FIA 8859-2015
SNELL SA2020

MATERIAL

NORMAL TENSILE CARBON

MATERIAL

FIBERGLASS KEVLAR MSF
MULTI SANDWICH FIBER

MATERIAL

FIBERGLASS KEVLAR MSF
MULTI SANDWICH FIBER

MATERIAL

FIBERGLASS KEVLAR MSF
MULTI SANDWICH FIBER

WEIGHT

small 1.360 g*
large 1.510 g*

WEIGHT

small 1.590 g*
large 1.700 g*

WEIGHT

small 1.590 g*
large 1.700 g*

WEIGHT

small 1.590 g*
large 1.700 g*

SIZE

small XS 54, S 55, S 55
medium M 57, L 59
large L 60, XL 61, 2XL 63, 3XL 64

SIZE

small XS 54, S 55, M 57, L 59
medium L 59, XL 61, 2XL 63, 3XL 64

SIZE

small XS 54, S 55, M 57, L 59
medium L 59, XL 61, 2XL 63, 3XL 64

SIZE

small XS 54, S 55, M 57, L 59
medium L 59, XL 61, 2XL 63, 3XL 64

INTERCOM

AE0211**

INTERCOM

AE0211**

INTERCOM

AE0211**

INTERCOM

AE0211**

COLORS



COLORS



*Communication kit included, M6 ready. ± 30 g

**Not for US market

*Communication kit included, M6 ready. ± 30 g

**Not for US market

COMPARISON CHART

VENTI WRC



VERSION

ZERO 8860 TURISMO

AA0220CG3R Hans

HOMOLOGATION
FIA 8860 - 2018

MATERIAL
HIGH TENSILE
CARBON

WEIGHT
small 1.190 g*
medium 1.220 g*

SIZE
small XS 54, S 55,
M 57, L 58
medium L 59, XL 61

INTERCOM
AE0227

COLORS

8860 TURISMO

AA0220CG1R Hans

HOMOLOGATION
FIA 8860 - 2018

MATERIAL
MEDIUM TENSILE
CARBON

WEIGHT
small 1.330 g*
medium 1.380 g*
large 1.510 g*

SIZE
small XS 54, S 55,
M 57, L 58
medium L 59, XL 61
large 2XL 63, 3XL 64

INTERCOM
AE0227

COLORS

VENTI4 WRC



VERSION

CARBON TURISMO

AA0224CG1X Hans

HOMOLOGATION
FIA 8859-2024
SNELL SA2025

MATERIAL
NORMAL TENSILE
CARBON

WEIGHT
small 1.120 g*
medium 1.260 g*
large 1.360 g*

SIZE
small XS 54, S 55,
M 57, L 58
medium L 59, XL 61
large 2XL 63, 3XL 64

INTERCOM
AE0227

COLORS

COMPOSITE TURISMO

AA0224CG2X Hans

HOMOLOGATION
FIA 8859-2024
SNELL SA2025

MATERIAL
MSP MULTI SANDWICH
PRE-PREG FIBER

WEIGHT
small 1.370 g*
medium 1.500 g*
large 1.580 g*

SIZE
small XS 54, S 55,
M 57, L 58
medium L 59, XL 61
large 2XL 63, 3XL 64

INTERCOM
AE0227

COLORS

*Communication kit included, M6 ready. ± 30 g

*M6 ready. ± 30 g

WRX DIRT TURISMO



VERSION

DIRT ZERO 8860

AA0230CG3R

HOMOLOGATION
FIA 8860 - 2018

MATERIAL
HIGH TENSILE
CARBON

WEIGHT
small 1.400 g*
medium 1.530 g*
large 1.610 g*

SIZE
small XS 54, S 55,
M 57, L 58
medium L 59, XL 61
large 2XL 63, 3XL 64

INTERCOM
AE0227**

COLORS

DIRT CARBON

AA0230CG1X

HOMOLOGATION
FIA 8859-2024
SNELL SA2025

MATERIAL
NORMAL TENSILE
CARBON

WEIGHT
small 1.340 g*
medium 1.480 g*
large 1.570 g*

SIZE
small XS 54, S 55,
M 57, L 58
medium L 59, XL 61
large 2XL 63, 3XL 64

INTERCOM
AE0227**

COLORS

WRX RAID TURISMO



VERSION

RAID ZERO 8860

AA0232CG3R

HOMOLOGATION
FIA 8860 - 2018

MATERIAL
HIGH TENSILE
CARBON

WEIGHT
small 1.300 g*
medium 1.430 g*
large 1.510 g*

SIZE
small XS 54, S 55,
M 57, L 58
medium L 59, XL 61
large 2XL 63, 3XL 64

INTERCOM
AE0227**

COLORS

RAID CARBON

AA0232CG1X

HOMOLOGATION
FIA 8859-2024
SNELL SA2025

MATERIAL
NORMAL TENSILE
CARBON

WEIGHT
small 1.250 g*
medium 1.370 g*
large 1.460 g*

SIZE
small XS 54, S 55,
M 57, L 58
medium L 59, XL 61
large 2XL 63, 3XL 64

INTERCOM
AE0227**

COLORS

*M6 ready. ± 30 g

**Not for US market

FULL VISORS

THE ST6 VISORS CAN BE EITHER SINGLE, DOUBLE GLAZE, OR ABP DOUBLE GLAZE.


Anti-fog and anti-scratch visors.
ANTIFOG TREATMENT WASHABLE WITH WATER-BASED PRODUCTS.



The visors available in the ABP version can only be used with ST6FN ABP helmets.

*Not FIA approved

SHORT VISORS



YA0919 Mirror Blue Dark
YA0920 Mirror Red Dark
YA0921 Mirror Yellow Dark

YA0922 Silver Dark
YA0923 Smoked Dark

GT SUN SCREEN



YA0924

VISOR AND TEAR-OFF TOOL



YY0028

TEAR-OFF AND SUN STRIP STICKER



YA0930-CP

Package (3 tear-off films stuck together),
3 pieces kit. With perimeter seal

YA0929-CP

Package (10 tear-off films stuck together),
3 pieces kit. With perimeter seal

YA0931

Package with 5 single tear-off films

YA0932

Visor sun strip sticker

Only for ABP model

FULL VISOR LOCKING SYSTEM



YA0925

VISORS OR SUNSCREEN FITTING KIT

YA0926 Silver YA0926B Blue
YA0926G Gold YA0926R Red



ST5 ACCESSORIES

FULL VISORS

Anti-fog and anti-scratch visors.
Note: to preserve the applied anti-fog inside treatment, visors should NOT be cleaned with water-based products.



YA0800 - YA0800ABP
Clear



YA0801 - YA0801ABP
Smoked medium



YA0802 - YA0802ABP
Smoked dark



YA0803 - YA0803ABP
Silver medium



YA0804 - YA0804ABP
Silver dark



YA0805 - YA0805ABP
Mirror blue medium



YA0806 - YA0806ABP
Mirror blue dark



YA0807.2 - YA0807ABP.2
Mirror red medium



YA0808.2 - YA0808ABP.2
Mirror red dark



YA0809.2 - YA0809ABP.2
Mirror yellow medium



YA0810.2 - YA0810ABP.2
Mirror yellow dark



YA0813*
Amber dark



YA0814 - YA0814ABP
Clear double glaze



YA0815*
Yellow double glaze



YA0851
Clear no anti-fog

All visors are available in the ABP versions for use with ST5FN ABP helmets.

All visors are also available in the Double Glaze versions.

*Not FIA approved

SHORT VISORS



YA0836 Mirror Blue Dark
YA0837.2 Mirror Red Dark
YA0838.2 Mirror Yellow Dark

YA0854 Silver Dark
YA0891 Smoked Dark

GT SUN SCREEN



YA0816

BREATH DEFLECTOR



YA0873

VISOR AND TEAR-OFF TOOL



YY0028

TEAR-OFF AND SUN STRIP STICKER



YA0820-CP

Package (3 tear-off films stuck together),
3 pieces kit. With perimeter seal

YA0829-CP

Package (10 tear-off films stuck together),
3 pieces kit. With perimeter seal

YA0819

Package with 5 single tear-off films

YA0821

Visor sun strip sticker

FULL VISOR LOCKING SYSTEM



YA0818

VISOR WASHERS KIT



YA0890 3 pieces kit

VISORS OR SUNSCREEN FITTING KIT

YA0817 Silver YA0817B Blue
YA0817G Gold YA0817R Red



AIR INTAKES Available for ST5 / ST6

Designed to bring fresh air into the helmet at speed and extract hot air through the helmet top holes

YA0822



YA0861
Lower profile



FRONT SPOILERS ST6



YA0928

Stabilizes aerodynamic vibrations at high speed
(position as shown in picture)



BACK SPOILER



ST6 YA0927 / ST5 YA0623

Stabilizes aerodynamic vibrations at high speed
(position as shown in picture)

FRONT SPOILERS ST5 only



YA0870 Small



YA0823 Large

Stabilizes aerodynamic vibrations at high speed
(position as shown in picture)

INDYCAR AERO KIT ST5 only



YA0674



Stabilizes aerodynamic vibrations at high speed
(position as shown in picture)

ST5 / ST6 ACCESSORIES

AIR SYSTEM KITS

The exclusive Stilo **Top Air System** takes fresh air to the driver's head and nose. The Top Air System can be fitted onto WRX, ST5 and ST6 Formula and GT models.

SHORT MODULAR TOP AIR KITS



YA0892MAG

Modular short top air for Venti WRC, WRX, ST5 and ST6 with integrated Maglock® adapter



YA0892A

Modular short top air for Venti WRC, WRX, ST5 and ST6 with main adapter. To be used with YA0895A or YA0896A



YA0896A

Modular straight fitting with Ø 32mm connection. Compatible with Maglock® connector



YA0895A

Modular 90° angled fitting with Ø 32mm connection. Compatible with Maglock® connector

SHORT TOP AIR KITS



YA0889

Top Air System for Venti WRC, WRX, ST5 and ST6 with oval connector



YA0897

Top Air System for Venti WRC, WRX, ST5 and ST6 with smaller round connector

MODULAR TOP AIR KITS



YA0893A small shell

For ST5 only on small shell. For ST6 for small and medium shell



YA0896A

Modular straight fitting with Ø 32mm connection. Compatible with Maglock® connector



YA0895A

Modular 90° angled fitting with Ø 32mm connection. Compatible with Maglock® connector



TOP AIR KITS



YA0834 small shell

For ST5 only on small shell. For ST6 for small and medium shell

YA0853 small shell
For ST5 only on small shell. For ST6 for small and medium shell

YA0857 large shell

Top Air System for ST5 and ST6 with oval connector

YA0859 large shell
Top Air System for ST5 and ST6 with smaller round connector

SIDE AIR KIT



YA0653

Integrated air coupling for Ø 20 mm tubes

YA0639

Coupling for YA0653 up to Ø 32 mm tubes

ADJUSTABLE TOP AIR KITS The air flow can be directed to the driver's face for a better breathing or for cooling the driver's head.



YA0833 small shell

For ST5 only on small shell. For ST6 for small and medium shell

YA0852 small shell

For ST5 only on small shell. For ST6 for small and medium shell

YA0714

45° cuff for Ø 1.5 inches to helmet Top Air oval hose




YA0858 large shell

Adjustable Top Air System for ST5 and ST6 with smaller round connector

INTEGRATED DRINKING SYSTEM

ST6/ST5 is homologated with a drinking system integrated. The silicon tube with bite valve is installed inside the helmet, where a dedicated housing channel in the cheek pads connects it to the shell plug and the female quick coupling installed on the outside.



- YA0600** Inner side of the helmet comprising
- YA0601** Bite valve in silicon rubber with anti-backflow system
- YA0602** Water tube
- YA0603** Male quick coupling
- YA0600.B** same as **YA0600** with longer Water tube
- YA0605** Hydration bag comprising
- YA0604** Female quick coupling



FRONTAL DRINKING SYSTEM

ST6/ST5 are prepared for the frontal installation of the drinking system. Both left and right shell front grids can be opened for the tube to pass through and meet the dedicated passage in the internal chin pad.



HELMET SKIRT ST6 / ST5



ADJUSTABLE PEAKS Only for ST5



YA0863 Zero and 8860

REMOVABLE CUPS



PEAK FITTING KIT Only for ST5



YA0865 Silver



YA0865G Gold



YA0865B Blue



YA0865R Red

SPARE INTERCOM KIT



AE0211 ST5 / ST6

COLOURED POST ANCHORS



AK 1131.12B Blue

AK 1131.12R Red

ELECTRONIC KITS

HELMET KITS

EUROPE

INTEGRATED

	EAR-BUD	MICROPHONE	RADIO
AE0211	Stilo	Stilo	-
AE0214	Jack 3.5 mm	Stilo	-
AE0219	RCA	MRTC	-
AE0318	Stilo	MRTC	-
AE0332	RCA	Stilo	-

NON-INTEGRATED

	EAR-BUD	MICROPHONE	RADIO
AE0305	RCA	Stilo	Stilo female nexus 4c
AE0313	RCA	Stilo	Peltor male nexus 4c
AE0314	RCA	MRTC	MRTC male nexus 5c
AE0315	Stilo	Stilo	Stilo female nexus 4c
AE0317	RCA	MRTC	Stilo female nexus 4c
AE0319	Stilo	MRTC	Stilo female nexus 4c
AE0331	Jack 3.5 mm	Stilo	Peltor male nexus 4c
AE0333	Jack 3.5 mm	Stilo	Stilo female nexus 4c
AE0334	Stilo	MRTC	MRTC male nexus 5c
AE0335	RCA	Stilo	Peltor male nexus 4c

USA

INTEGRATED

	EAR-BUD	MICROPHONE	RADIO
AE0210	Earmuff speakers	Stilo	-
AE0110	Earmuff speakers	Stilo with boom	-
AE0214	Jack 3.5 mm	Stilo	-
AE0216	Earmuff speakers	Gentex with boom	-
AE0217	Jack 3.5 mm	Gentex with boom	-
AE0320	Earmuff speakers and ear-bud jack 3.5 mm	Gentex with boom	-

NON-INTEGRATED

	EAR-BUD	MICROPHONE	RADIO
AE0309	Jack 3.5 mm	Stilo	IMSA
AE0310	Jack 3.5 mm	Stilo	Nascar
AE0323	Jack 3.5 mm	Gentex with boom	IMSA
AE0324	Jack 3.5 mm	Gentex with boom	Nascar
AE0339	Earmuff speakers with jack 3.5 mm male plug for Raceceiver	-	-

RADIO ADAPTERS



AC0204.2 Common radio

AC0220.2 Common radio (longer ver.)



AC0206.2 MRTC

AC0217.2 MRTC (longer ver.)



AC0212.2 USA IMSA

AC0224.2 USA IMSA (longer ver.)



AC0213.2 Nascar 3C

AC0225.2 Nascar 3C (longer ver.)



EARPLUGS

AE0300 Stilo earplugs

AE0326 RCA earplugs

AE0303 Jack 3,5 mm earplugs

YE0001 Spare foam plugs



MALE PLUGS

EARMUFF SPEAKERS



AE0304 Stilo male plug

AE0325 RCA male plug

AE0336 Jack 3,5 mm male plug

EARPLUG ADAPTERS



AC0221

Earplugs with RCA male plug to Stilo helmets



AC0222

Earplugs with 3,5 mm male plug to Stilo helmets

RADIO CONNECTIONS

RADIO TO HELMET INTERFACE

Wired interface connecting the helmet to a car radio, comprising the interchangeable steering-wheel PTT button. Ready to be used with the radio connection wirings shown here below with part numbers YD0202 to YD0211.

RADIO WIRINGS

The CG0007 helmet interface and the universal track headsets CD0212 connects to the radios through the dedicated radio wirings. Available for the following models:

YD0202 similar to VERTEX Vx-160, Vx-180

YD0203 similar to KENWOOD TK-2140/2180/3140/3180

YD0204 similar to KENWOOD TK-2160/2170/2202/3160/3170/3201/3202

YD0205 similar to MOTOROLA GP300, MOTOROLA CP Series

YD0206 similar to MOTOROLA GP320/340/360/380

YD0207 similar to MOTOROLA GP328

YD0208 similar to MOTOROLA GM350

YD0209 similar to VERTEX Vx-2200

YD0210 Universal

YD0211 ICOM IC-F51

TRACK HEADSETS

Allowing communication with the car from the pit, these headsets come with adjustable earmuffs for noise reduction. Integrated PTT button, flexible micro-holder, noise cancelling microphone. Ready to be used with the radio connection wirings shown here above with part numbers YD0202 to YD0211.

CUSTOMIZED RADIO SYSTEMS

The radio kit is the basic configuration for the communication via radio between one car and the engineer at the box.

The driver will have one radio, the connection wirings to his helmet, a car antenna and the PTT button to decide when to start and stop the communications. The engineer instead will have a portable radio with antenna and belt clip, one headset with a noise cancelling microphone and the connection cable for the portable radio.

The communication can also be extended from one engineer to more people at the box.

Radio kits can be customized upon request to make them suite the Team's different needs.



Contact our customer service at info@stilo.it for enquiries.

TRACK COMMUNICATION

VERBACOM CLUB

How it works

Verbacom offers drivers a cost effective and very efficient car to pit communication system by using mobile phones. The Pit wall phone calls the car phone before the car starts, the car unit is programmed to automatically answer and the phone call is kept open keeping the car and Pit unit continually connected until switched off. The communication between units is always open, the pit crew press the push to talk button on the headset to transmit to the driver, whilst the driver can simply speak without pressing any button thanks to the digital noise cancellation that cancels all background noises. If for any reason the signal is lost and call is dropped, the pit phone automatically calls the car which answers it for the driver. It is as easy as that.

Available versions

CQ0008

- 1 Car kit
- 1 Pit Single Headset




CQ0009

- 1 Car kit
- 1 Pit Single Headset
- 1 Pit Double Headset



CQ0010

- 2 Car kit
- 1 Double Headset



Car kit

The club unit is totally transportable for use in any vehicle or kart. The main Bluetooth unit CG0010 is self-powered and connects to a mobile phone (not included) which is mounted in the car. This unit has volume controls and a visible system status light for the driver, and also an on/off switch. This weighing just 66 gr and measuring 74 x 47 x 15 mm it is extremely small and light.

Helmet wiring YB0307.2 with an extension cable connects into the driver's helmet (AE0300 and AE0315 are required should your helmet have no wiring).



CG0010



YB0307.2

Pit wall kit

Noise reduction headsets are self powered and have either a single or double Bluetooth unit subject to the system you buy. CD0003 and CD0004 connect to a mobile phone (not included) by Bluetooth for communication with the car, or wirelessly to the second pit headset.



CD0003
Pit Single Headset

CD0004
Pit Double Headset

HANS IV



STILO HANS IV

AF0104 20° sz. S, M, L



YF0035
HANS IV
Shoulder Padding
Kit Black



TETHER KITS

YF0006 All Models - Standard, 18 inch/45 cm

YF0007 All Models - Long, 19 inch/48 cm

YF0005 All Models - Short, 17inch/42.5 cm

YF0013 All Models - Extra Short, 16 inch/40.5 cm

YF0031 HANS III - Standard, 18 inch/45 cm

YF0032 HANS III - Long, 19 inch/48 cm

YF0033 HANS III - Short, 17inch/42.5 cm

YF0034 HANS III - Extra Short, 16 inch/40.5 cm

YF0024 HANS Zero Standard, 17inch/42.5 cm (17")

YF0025 HANS Zero Short, 16 inch/40.5 cm (16")

YF0026 HANS Zero Long, 18 inch/45 cm (18")

YF0020 M6.HAK QR Sliding - Standard 18 inch/45 cm

YF0021 M6.HAK QR Sliding - Long 19 inch/48 cm

YF0022 M6.HAK QR Sliding - Short 17inch/42.5 cm

YF0023 M6.HAK QR Sliding - Extra Short 16 inch/40.5 cm

FHR - HANS



STILO HANS ZERO

AF0173 30° sz. M



HANS PRO ULTRA LITE

AF0092LITE 20° sz. M, L



HANS III

AF0102 20° sz. L and Youth

AF0103 30° sz. M, L

SPARE SHOULDER PADDING KIT



YF0011 Black
YF0012 Black (Gel)



YF0014 Blue
YF0017 Blue (Gel)



YF0015 Red
YF0018 Red (Gel)



YF0016 Yellow
YF0019 Yellow (Gel)

HOW TO MEASURE

To find the right size for your **HANS Device**, measure around your neck above your shirt collar using a soft tape measure, or use a ruler to determine your neck diameter in the same area. Keep in mind that sizing can sometimes overlap between different options, so personal comfort should ultimately guide your choice. If you're a youth racer, consider selecting a size that allows room to grow while still maintaining a safe and secure fit.

HANS SIZE GUIDE (HANS III & HANS IV)

Neck Width	CM.	11	12	13	14	15	16	17	18	19
HANS III					LARGE					
				MEDIUM						
			YOUTH							
HANS IV						LARGE				
					MEDIUM					
				SMALL						

HANS SIZE GUIDE - Collar Size (HANS III & HANS IV)

Collar Size	CM.	34	36	38	40	42	44	46	48	50
HANS III						LARGE				
					MEDIUM					
			YOUTH							
HANS IV							LARGE			
						MEDIUM				
				SMALL						

Model	WIDTH CM		COLLAR SIZE	
	Min cm	Max cm	Min	Max
HANS III Youth	10.8	12.5	33.9	39.3
HANS III 20M	12	13.5	37.7	42.4
HANS III 20L	13	14.4	40.8	45.2
HANS IV 20S	11.5	12.8	36.1	40.2
HANS IV 20M	12.5	14.8	39.3	46.5
HANS IV 20L	14.4	16.4	45.2	51.5



FHR - HYBRID



HYBRID PRO LITE

AF013 sz. XS, S, M, L, XL
also available for women and quick release




HYBRID SPORT

AF014 sz. XS, S, M, L, XL
also available for women and quick release
AF016 sz. 22" - 26" / 26" - 30" for child
also available with quick release



HYBRID S

AF015 sz. XS, S, M, L, XL
also available for women and quick release



1. Measure around chest below pectoral muscles.
2. Measure with driving suit. If not available add 1" to measurement.
3. Take measurement with tape placed against driver with out any slack and with out pulling the tape tight.
4. Once measurement has been determined refer to size charts for device size selection.



BU182B / BU180

Hybrid Sport Buckle



FC45B-XI / FC45BM-XE

Hybrid Pro Lite Buckle



HY.DP

Hybrid Device Pad



HYP - DP

Hybrid Pro Lite - Sport Device Pad




POST ANCHOR KIT FHR

Helmet Attachment (SIMPSON branded)
PA Collar, Pro, for SAH Helmet



QUICK RELEASE ANCHORS FHR

M61 Helmet Anchor Kit



QUICK RELEASE TETHER 2

Hybrid Sport, Hybrid S and Pro Lite M6 Anchor
(Quick Release) Tether set



POST ANCHOR TETHER

Hybrid Sport, Hybrid S and Pro Lite
Post Anchor (HANS) Tether set



INDEX KARTING

- Page 60 ST6 CMR ZERO RANGE
- Page 61 ST6 CMR LITE RANGE
- Page 62 ST6 KRT RANGE
- Page 63 ST6 CMR LITE
GRAPHIC EDITIONS RANGE
- Page 64 COMPARISON CHART
- Page 66 RIB & CHEST PROTECTORS
- Page 68 ACCESSORIES

ST6 CMR ZERO

NEW

Injection Molded, Waterbase washable, FIA8860-2018 visor 3mm

Wider field of vision

Same visor and locking system as the ST6

New construction of the crown area to improve comfort and fit

Sliding visor mechanism for smoother movements, the same advanced system introduced on the ST6

Improved cheek comfort padding

Ventilation system from Formula 1 experience, ensuring maximum airflow and performance on track



CMR ZERO



— Helmet color
— Interior color

ZERO version, the evolution of our ST6 CMR Carbon: the full carbon version designed for pro drivers, the lightest CMR helmet in the market.

The PURO technology permits the external coating to be eliminated. This delivers a further reduction in weight and actually converts it into a driver-kart performance improving element.

Injection Molded, Waterbase washable, FIA8860-2018 visor 3mm

Wider field of vision

Same visor and locking system as the ST6

New construction of the crown area to improve comfort and fit

Sliding visor mechanism for smoother movements, the same advanced system introduced on the ST6

Improved cheek comfort padding

Ventilation system from Formula 1 experience, ensuring maximum airflow and performance on track



CMR LITE



— Helmet color
— Interior color

Carbon - Pmatrix is a special weave developed specifically by Stilo for the launch of the new ST6 CMR Lite.

The Carbon - Pmatrix actually features the same Puro Carbon technology found in all Stilo carbon helmets.

Specifically dedicated to karting from 15 years up

Size mix in 3 shells to optimize overall weight per size

Size mix from XS 54 to 3XL 64

Cheek comfort padding designed for better fitting

Sliding visor mechanism for smoother movements, the same advanced system introduced on the ST6

Improved cheek stability

Increased downwards field of view (also compared to ST5)

Top ventilation holes to reduce sweat and moisture



KRT CARBON



KRT COMPOSITE



NEW GRAPHIC EDITIONS AVAILABLE

To mark the introduction of the ST6 CMR LITE range, Stilo is releasing exclusive graphic editions. These models feature distinctive, race-inspired liveries designed to deliver a unique visual identity on track. The new graphics are applied without affecting the helmet's performance, weight, or compliance with the highest safety standards.



CMR LITE



- Helmet color
- Carbon
- Interior color



CMR LITE



- Helmet color
- Carbon
- Interior color



CMR LITE



- Helmet color
- Carbon
- Interior color

ST6 CMR



VERSION

ST6 CMR ZERO

AA0822AH1P

HOMOLOGATION
SNELL CMR2016MATERIAL
CARBONWEIGHT
extra small 970 g ± 30 g
small 1.010 gSIZE
xxsmall XXS 53
extra small XS 54
small S 55, 56 medium M 57
large L 59INTERCOM
Not available

COLORS

ST6 CMR LITE

AA0821AH5P

HOMOLOGATION
SNELL CMR2016MATERIAL
CARBON P-MATRIXWEIGHT
extra small 1.050 g ± 30 g
small 1.120 gSIZE
xxsmall XXS 53
extra small XS 54
small S 55, 56 medium M 57
large L 59INTERCOM
Not available

COLORS

ST6 CMR LITE GRAPHIC EDITIONS

AA0821AH5PszDGRE AA0821AH5PszDBLU AA0821AH5PszDRED

HOMOLOGATION
SNELL CMR2016MATERIAL
CARBON P-MATRIXWEIGHT
extra small 1.140 g ± 30 g
small 1.220 gSIZE
xxsmall XXS 53
extra small XS 54
small S 55, 56 medium M 57
large L 59INTERCOM
Not available

COLORS

ST6 KRT



VERSION

ST6 KRT CARBON

AA0814AH1L

HOMOLOGATION
FIA 8878 - 2024 K2025MATERIAL
CARBON COMPOSITEWEIGHT
small 1.150 g medium 1.300 g
large 1.390 g ± 30 gSIZE
xsmall XS 54 small S 55
medium M 57 large L 58, 59
xlarge XL 61 xxlarge 2XL 63
xxxlarge 3XL 64INTERCOM
Not available

COLORS

ST6 KRT COMPOSITE

AA0814AH2L

HOMOLOGATION
FIA 8878 - 2024 K2025MATERIAL
FIBERGLASS KEVLAR MSF
MULTI SANDWICH FIBERWEIGHT
small 1.340 g medium 1.460 g
large 1.570 g ± 30 gSIZE
xsmall XS 54 small S 55
medium M 57 large L 58, 59
xlarge XL 61 xxlarge 2XL 63
xxxlarge 3XL 64INTERCOM
Not available

COLORS



CARBON CURVA TEK 8870

Developed in full compliance with the latest international homologation standards, **Carbon Curva TEK** has been meticulously engineered with a focus on the crucial interaction between driver, seat, and protective device.



ADVANCED STRUCTURE AND ERGONOMICS

Carbon Curva TEK is engineered to deliver outstanding protection, fully compliant with the **latest FIA 8870-2018 karting body protection standard**, while maintaining a dynamic, adaptive structure that moves with the athlete.

- **Carbon shell:** A new seamless external carbon layer reduces friction and enhances robustness, while preserving our innovative flexible carbon-rubber technology. This advanced construction improves ribs' conformity and reduces pressure points for superior comfort throughout racing.
- **Ergonomic chest plate:** The upper section of the chest plate now features a refined curved design that naturally follows the shape of the torso, improving fit and minimizing bulk across all sizes.

ENHANCED FUNCTIONAL SAFETY

The rib protector has been engineered to integrate seamlessly with the kart seat, improving stability and energy distribution during intense driving.

- **Optimized retention system:** Redesigned fastening straps eliminate metal rivets and Velcro on the sides and rear of the chest protector, enhancing seat compatibility and improving wear resistance.
- **Refined closure system:** The quick-release locking mechanism has been retained for maximum ease of use. The anchoring point has been moved to a central position to improve load distribution and ensure greater closure stability.

IMPROVED PADDING AND COMFORT

The Carbon Curva TEK adopts an internal padding to deliver excellent impact absorption and enhanced thermal comfort.

- **Shell-contact padding:** High-density memory foam bonded directly to the shell improves comfort and efficiently dissipates impact forces.
- **Chest-contact padding:** Ergonomically shaped comfort padding with integrated ventilation channels enhances airflow while managing heat and moisture during intense track sessions.

CARBON CURVA TEK 8870




Homologated according to the FIA 8870-2018 (KARTING BODY PROTECTION) regulation. The device includes the 2 following components: Chest protection: it's the part of the device covering the frontal area of the chest of the user - Rib protection: it's the part of the device covering the rib area of the user.

HOW TO CHOOSE YOUR SIZE

To make sure the rib protector performs at best, it is crucial to choose the correct size (see chart below) and to wear it properly.

CARBON CURVA TEK 8870 SIZE CHART

	DRIVER'S HEIGHT	RECOMMENDED CHEST CIRCUMFERENCE
AS0003XS	116 - 134 cm	58 - 68 cm
AS0003S	134 - 152 cm	62 - 72 cm
AS0003S+	134 - 152 cm	67 - 77 cm
AS0003M	152 - 170 cm	72 - 82 cm
AS0003L	170 - 188 cm	85 - 95 cm
AS0003L+	170 - 188 cm	90 - 100 cm
AS0003XL	170 - 188 cm	105 - 115 cm



HOW TO WEAR IT

To make sure the rib protector performs at best, it is crucial to choose the correct size (see chart below) and to wear it properly. The device needs to be worn under the suit and, once the blocking system has been closed, the belts need to be fastened correctly and firmly (see the following images).



CARBON CURVA



These cutting edge protectors result in a flexible fit following and adapting to the drivers' body, protecting them from impacts without limiting movement or breathing.

Available in the following sizes:

AS0001S small

AS0001M medium

AS0001L large

ACCESSORIES



YY0070 Racegear bag



YY0061 Helmet bag



YY0045 Backpack



YY0075 Stilo cap




YY0046 Multi - equipment dryer



YY0065 Cloth drawstring visor sock



YY0066 Drawstring antiscratch helmet sock



YA0014 Eject system

YA0014A Eject system with top foam

WALL HELMET DISPLAY FLAG STILO



YY0082



YY0083

MINI HELMETS 1:2



The mini helmet COLLECTION is available on WWW.STILO.IT



OFFSHORE

RANGE



INDEX OFFSHORE

Page 72

OFFSHORE RANGE

Page 74

INTERCOMS

COMPARISON CHART

stilo

OFFSHORE

Top ventilation holes to reduce sweat and moisture

Adjustable short visor (Optional)

Noise reduction earmuffs with adjustable ear pressure

Integrated microphone and WRC intercom connections

Increased comfort with brand new interior paddings

Integrated speakers

Microphone and boom shaped to enhance voice quality (Open face)

Adjustable microphone position



VENTI4 WRC



VENTI4 TROPHY



ST6F



ST5F





OFFSHORE VHF

- Fully watertight
- Connection is possible with up to 6 helmets
- Equipped with PTT button and connection to on-board VHF radio
- Integrated Bluetooth available
- Feed available from the boat battery

DB0200 VHF - 2 channels
DB0201 VHF - 4 channels
DB0202 VHF - 6 channels



DB0203 with Bluetooth VHF - 4 channels
DB0204 with Bluetooth VHF - 2 channels



COMPARISON CHART

VERSION	VENTI4 WRC	VENTI4 TROPHY	ST6F	ST5F
	DA0224BF2X Hans	DA0114EF2X	DA0802RF2X Hans	DA0702BF2T
HOMOLOGATION	FIA 8859-2024	HOMOLOGATION	FIA 8859-2024	HOMOLOGATION
	SNELL SA2025	SNELL SA2025	SNELL SA2025	SNELL SA2020
MATERIAL	MSP MULTI SANDWICH PRE-PREG FIBER	MATERIAL	MSP MULTI SANDWICH PRE-PREG FIBER	MATERIAL
	FIBERGLASS KEVLAR MSF MULTI SANDWICH FIBER		FIBERGLASS KEVLAR MSF MULTI SANDWICH FIBER	FIBERGLASS KEVLAR MSF MULTI SANDWICH FIBER
WEIGHT	small 1.390 g* medium 1.520 g* large 1.600 g*	WEIGHT	small 1.490 g* medium 1.550 g* large 1.630 g*	WEIGHT
				small 1.650 g* large 1.770 g*
SIZE	small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	SIZE	small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	SIZE
				small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64
INTERCOM	AE0226 WL and Wired	INTERCOM	AE0226 WL and Wired	INTERCOM
	AE0121 WL and Wired		AE0210	
COLORS	■	■	■	■

*Communication kit included, M6 ready. ± 30 g



stilo





Via Domenico Bosatelli 4 • 24069 Cenate Sotto (BG) Italy
Phone +39 035 690 040 • Fax +39 035 691 559
info@stilo.it • stilo.it

Stilo U.S.A.
328 FM 306 • New Braunfels, TX 78130
Phone 800-654-RACE (7223)
stilohelmets.com

 Stilo •  Stilo Official •  Stilo

STILO.IT